TOTAL SI-Pro





Vehicles for a better future



The flagship variant, with dual parallel batteries & full connectivity solution for EV Fleet owner companies.





- Double Gradeability
- Double Power
- Double Disc Brakes
- Double Battery
- Double Life



- Climb any slope with ease upto 12° gradient
- Zip through traffic with 63 kmph top speed
- Maximize your range in Eco mode at 45 kmph speed

Mode	Speed	Gradeability	IDC range
Normal mode	63 kmph	12°	140 km



Faster

More Deliveries = More Earnings



Affordable

More Running = More Savings



Reliable

More Life = Less Repairs



Versatile

More Customisations = More Jobs

Loaded with features



Strong and rigid square chassis for longer life



Dual disc brakes for better braking power



Smart digital instrument cluster for fully connected experience



Quick mobile charging for charging on the go



Large 1.1 kW charger for quick battery charging



Wider tyres for better grip on any road conditions



Adjustable rear shock absorbers for shock-free rides



LED signature light for unmatched luminosity at night



Side stand with motor cut-off sensor for enhanced safety



Boot lamp inside seat storage for better visibility

Smart and Connected

Product

- Keyless access with keypad
- > Tracking Vehicle Information
- Geo fencing, theft, crash alert



Fleet solutions

- Business Insights portal
- Fleet and Vehicle Metrics
- Predictive Maintenance

Technical Specifications

Powertrain

Lithium Ion
2 Packs
3.7 kWh
PMSM-Hub
IP67
550 RPM
2.67 kW
127 Nm
63 kmph
140 km
12 ⁰
FOC
Available
1.1 kW Charger
3 - 4 hrs*

Vehicle Dimensions

Dimensions (L x W x H)	1960 x 720 x 1125 mm	
Wheelbase	1430 mm	
Ground Clearance	150 mm	
Kerb Weight	137 kg	

Braking

Braking Type	Combi-braking system	
Front Brake	Hydraulic disc	
Rear Brake	Hydraulic disc	
Front Disc Size	220 mm	
Rear Disc Size	180 mm	

Tyres

Front Tyre	90/90-12 Tubeless	
Rear Tyre	90/90-12 Tubeless	

Suspension

Front	Telescopic shock absorber
Rear	Adjustable dual shock absorber

