

DIPLOS



NUMEROS
MOTORS

Vehicles for a better future

DIPLUS

An entry level single battery variant, with optimal performance,
for part time jobbers & micropreneurs



Affordable

Less price = More Savings



Reliable

More Life = Less Repairs



Versatile

More Customisations = More Jobs



-
- Quick Charging within 2.5 hrs* with large 1.1 kW charger
 - Climb any slope with ease upto 10⁰ gradient
 - Zip through traffic with 50 kmph top speed


*The mentioned charging time is based under standard conditions.

DISCLAIMER: This brochure is intended for general information, description and illustration of the Product including standard and optional functions. Equipment may not be specific to a Product, since specifications of a product are subject to change from time to time. For further information please contact your local support.

Loaded with features




Strong, rigid, square chassis for the longer life



Dual disc brakes for better braking power



Full digital instrument cluster for functionality experience



Quick mobile charging for charging on the go



Large 1.1 kW charger for quick battery charging



Wider tyres for better grip on any road conditions



Adjustable rear shock absorbers for shock free rides



LED signature light for unmatched luminosity at night



Side stand with motor cut-off for enhanced safety



Boot lamp in seat storage for better visibility



Technical Specifications

Powertrain

Battery Type	Lithium Ion
Number of Batteries	1 Pack
Battery Capacity	1.9 kWh
Motor Type	BLDC Hub Motor
Motor IP Rating	IP65
Motor RPM	450 RPM
Peak Torque	108 Nm
Power - Peak	1.8 kW
Top Speed	50 Kmph
True Range	55 km
Gradeability (Degrees)	10°
Controller Drive Type	Sinusoidal
Regenerative Braking	Available
Charger Specifications	1.1 kW Charger
Charging Time	2.5 hrs

Vehicle Dimensions

Dimensions (L x W x H)	1995 x 705 x 1190 mm
Wheelbase	1425 mm
Ground Clearance	147 mm
Kerb Weight	117 kg

Braking

Braking Type	Combi-braking system
Front Brake	Hydraulic disc
Rear Brake	Hydraulic disc
Front Disc Size	220 mm
Rear Disc Size	180 mm

Suspension

Front	Telescopic shock absorber
Rear	Adjustable dual shock absorber

Tyres

Front Tyre	90/90-12 Tubeless
Rear Tyre	90/90-12 Tubeless



Our Partners



Road Side Assistance



Vehicle Insurance

DISCLAIMER: Though all efforts are made to ensure that the information on the brochure is correct and updated, Numeros Motors Pvt. Ltd. does not provide any guarantee as to its accuracy and/or completeness and do not accept any liability in this regard. The information given in this brochure shall be regarded as accurate at the time of going to print and may thereafter due to any developments or any other reason. For the latest authentic information and updates, kindly contact your nearest local support.

All title, ownership rights and intellectual property rights in and relating to this brochure / magazine or publication material or any copies thereof including but not limited to copyright, logos, names, trademarks, service marks, design, text, images, links, concepts and themes are owned by Numeros Motors Pvt. Ltd. and/or its subsidiaries collectively or used under authorised license by Numeros Motors Pvt. Ltd. Any reproduction, transmission, publication, performance, broadcast, alternation, license, creation of derivative works or other use in whole or in part in any manner without the prior written consent of Numeros Motors Pvt. Ltd. is strictly prohibited.